

**Military Standard 105E (ANSI/ASQC Z1.4, ISO 2859) Tables**

***AQL = 1%, Normal Inspection Plans***

<i>Lot Size</i>	<i>Sample Size</i>	<i>Reject Level</i>
2 to 8	All	<b>1</b>
9 to 15	All	<b>1</b>
16 to 25	13	<b>1</b>
26 to 50	13	<b>1</b>
51 to 90	13	<b>1</b>
91 to 150	13	<b>1</b>
151 to 280	50	<b>2</b>
281 to 500	50	<b>2</b>
501 to 1200	80	<b>3</b>
1201 to 3200	125	<b>4</b>
3201 to 10000	200	<b>6</b>
10001 to 35000	315	<b>8</b>
35001 to 150000	500	<b>11</b>
150001 to 500000	800	<b>15</b>
over 500000	1,250	<b>22</b>